INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

Michae

DEN

100 N. Senate Avenue • Indianapolis, IN 46204 (800) 451-6027 • (317) 232-8603 • www.idem.IN.gov

Michael R. Pence Governor

Carol S. Comer Commissioner

September 11, 2015

VIA CERTIFIED MAIL #:

91-7190-0005-2710-0044-1171 Honorable Kristen Brown, Mayor City of Columbus 123 Washington Street Columbus, IN 47201

VIA CERTIFIED MAIL

91-7190-0005-2710-0044-1195 Bartholomew County Humane Society C/O Board of Directors, Attn: Kim Showalter 4110 East 200 South PO Box 1088 Columbus, Indiana 47202-1088

> Re: Inspection Summary/Violation Letter Bartholomew County Humane Society/ Pettit Landfill, SW 03-UP-09 Bartholomew County

VIA CERTIFIED MAIL

440 Third Street

Columbus, IN 47201

91-7190-0005-2710-0044-1201

Bartholomew County Commissioners

Dear Ladies and Gentlemen:

On March 30, 2015, representatives of the Indiana Department of Environmental Management, Office of Land Quality, conducted an inspection of Bartholomew County Humane Society/Pettit Landfill, Columbus, Indiana. This inspection was conducted pursuant to IC 13-14-2-2. For your information, and in accordance with IC 13-14-5, a summary of the inspection is provided below:

Type of Inspection:

- Routine
- <u>C</u> Complaint
- ____ Other

Results of Inspection:

- ____ No violations were observed
- _____ Violations were observed but corrected during the Inspection (See inspection report)
- X Violations were observed (See inspection report dated March 30, 2015)
 - _____ Additional information/review is required to evaluate overall compliance
- ____ Violations were observed and will be referred to the Land Enforcement Section
- Other



The Pettit Landfill was closed in 1977. It consists of two cells: Cell 1 to the south and Cell 2 to the north, with a facility number 03-UP-09. Bartholomew County Humane Society is located on the cap of the Pettit Landfill, Cell 1.

The March 30, 2015 inspection revealed violations of the 1971 guidance "Minimum Requirements for the Selection and Operation of a Sanitary Landfill" (included) and 329 IAC 329 10-6.

According to the 1971 Minimum Requirements, "Finished cover shall have a slope not less than one percent nor more than 15 percent without depressions that will cause ponding." According to the 329 IAC 10-6, the owner, operator, or permittee of a closed solid waste land disposal facility:

- (1) must continue to monitor and provide maintenance (329 IAC 10-6-2(a)),
- (2) is responsible for controlling nuisance conditions (329 IAC 10-6-2(b)),
- (3) and is responsible for eliminating any threat to human health or the environment (329 IAC 10-6-3).

Engineering recommends the following remediation items for the parcel owned by Bartholomew County Humane Society:

- 1. Clean up and removed septic system.
- 2. Repair sunken pat graves. No further animal burials should be conducted on top of the landfill.
- **3**. Grade landfill cover to prevent ponding water.
- 4. All old structures should be removed. If the Humane society is planning on using any existing building located on top of the old landfill, a post-closure use approval from this office is required for any future use of these buildings. All enclosed structures must have explosives gas alarms and must have proper gas venting system.
- 5. Repair leachate seeps/erosion along southern property boundary.
- 6. Clean drainage dich along north eastern landfill boundary to provide for better surface drainage and prevent ponding water against fill areas.

Provide a copy of the notation on the deed to the landfill property to notify any potential purchaser of the property that the land has been used as a waste disposal site. At a minimum, the recording must contain the following: Provide a copy of the notation on the deed to the landfill property to notify any potential purchaser of the property that the land has been used as a waste disposal site. At a minimum, the recording must contain the following:

- (1) General types and location of waste.
- (2) Depth of fill.
- (3) A plot plan with surface contours at intervals of 2 feet that shows:
 - a. Surface water run-off directions,
 - b. Surface water diversions structures after completion of the operation, and
 - c. Final grade contours.
- (4) A statement that no construction or installation of ground water monitoring wells, pipes, conduits, septic system, or any other excavation will be done on the property without approval of the Indiana Department of Environmental Management (IDEM) commissioner.

ADDITIONAL GEOLOGY RECOMMENDATIONS:

The existing residential well needs to be abandoned (312 IAC 13-10-2). We recommend that you grout the well first, then over drill the entire well depth with hollow stem augers. Once total depth is reached, you should fill the augers with grout as you pull the augers out. This procedure will ensure the well's borehole is properly sealed. The Humane Society should submit the existing well log and the abandonment log to the Indiana Department of Natural Resources and IDEM within 60 days after abandonment. Please notify IDEM two weeks before abandonment.

IDEM will contact the Humane Society for permission to sample their new well on the nonwaste parcel.

Within thirty (30) days of receipt of this letter, a written detailed explanation, documenting how you plan to comply with each of the requirements listed above, must be submitted to this office. Failure to respond adequately to this Violation Letter may result in a referral to IDEM's Land Enforcement Section. Please direct any questions with regards to inspection to Said Asgari at (317) 409-4929, and any questions with regards to Engineering to Ms. Daniela Klesmith at (317) 232-8840, and Geology to Mr. John Guerrettaz (317) 232-8713. Thank you for your attention to this matter.

Sincerely,

Lelyhotalc

Kelly B. Hall, Section Chief Solid Waste Compliance Section Office of Land Quality

Enclosures: Inspection report dated March 30, 2015 Rule 329 IAC 10-6 Pictures Deed Notice Guidance Protocol for On-site Sewage Abandonment

cc: Bartholomew County Health Department Bartholomew County Solid Waste Management District Mark Niemoeller

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT



We Protect Hoosiers and Our Environment.

100 N. Senate Avenue • Indianapolis, IN 46204

(800) 451-6027 • (317) 232-8603 • www.idem.IN.gov

Michael R. Pence Governor Carol S. Comer Commissioner

September 11, 2015

VIA CERTIFIED MAIL #:

91-7190-0005-2710-0044-1171 Honorable Kristen Brown, Mayor City of Columbus 123 Washington Street Columbus, IN 47201

VIA CERTIFIED MAIL

91-7190-0005-2710-0044-1201 Bartholomew County Commissioners 440 Third Street Columbus, IN 47201

VIA CERTIFIED MAIL

91-7190-0005-2710-0044-1195 Bartholomew County Humane Society C/O Board of Directors, Attn: Kim Showalter 4110 East 200 South PO Box 1088 Columbus, Indiana 47202-1088

> Re: Inspection Summary/Violation Letter Bartholomew County Humane Society/ Pettit Landfill, SW 03-UP-09

> > Bartholomew County

Dear Ladies and Gentlemen:

On March 30, 2015, representatives of the Indiana Department of Environmental Management, Office of Land Quality, conducted an inspection of Bartholomew County Humane Society/Pettit Landfill, Columbus, Indiana. This inspection was conducted pursuant to IC 13-14-2-2. For your information, and in accordance with IC 13-14-5, a summary of the inspection is provided below:

Type of Inspection:

 $\underline{\quad} Routine$ $\underline{\quad} Complaint$

____ Other

Results of Inspection:

No violations were observed

- _____ Violations were observed but corrected during the Inspection (See inspection report)
- X Violations were observed (See inspection report dated March 30, 2015)
- Additional information/review is required to evaluate overall compliance
- ____ Violations were observed and will be referred to the Land Enforcement Section
- Other



The Pettit Landfill was closed in 1977. It consists of two cells: Cell 1 to the south and Cell 2 to the north, with a facility number 03-UP-09. Bartholomew County Humane Society is located on the cap of the Pettit Landfill, Cell 1.

The March 30, 2015 inspection revealed violations of the 1971 guidance "Minimum Requirements for the Selection and Operation of a Sanitary Landfill" (included) and 329 IAC 329 10-6.

According to the 1971 Minimum Requirements, "Finished cover shall have a slope not less than one percent nor more than 15 percent without depressions that will cause ponding." According to the 329 IAC 10-6, the owner, operator, or permittee of a closed solid waste land disposal facility:

- (1) must continue to monitor and provide maintenance (329 IAC 10-6-2(a)),
- (2) is responsible for controlling nuisance conditions (329 IAC 10-6-2(b)),
- (3) and is responsible for eliminating any threat to human health or the environment (329 IAC 10-6-3).

Engineering recommends the following remediation items for the parcel owned by Bartholomew County Humane Society:

- 1. Clean up and removed septic system.
- 2. Repair sunken pat graves. No further animal burials should be conducted on top of the landfill.
- **3**. Grade landfill cover to prevent ponding water.
- 4. All old structures should be removed. If the Humane society is planning on using any existing building located on top of the old landfill, a post-closure use approval from this office is required for any future use of these buildings. All enclosed structures must have explosives gas alarms and must have proper gas venting system.
- 5. Repair leachate seeps/erosion along southern property boundary.
- 6. Clean drainage dich along north eastern landfill boundary to provide for better surface drainage and prevent ponding water against fill areas.

Provide a copy of the notation on the deed to the landfill property to notify any potential purchaser of the property that the land has been used as a waste disposal site. At a minimum, the recording must contain the following: Provide a copy of the notation on the deed to the landfill property to notify any potential purchaser of the property that the land has been used as a waste disposal site. At a minimum, the recording must contain the recording must contain the recording must contain the following:

- (1) General types and location of waste.
- (2) Depth of fill.
- (3) A plot plan with surface contours at intervals of 2 feet that shows:
 - a. Surface water run-off directions,
 - b. Surface water diversions structures after completion of the operation, and
 - c. Final grade contours.
- (4) A statement that no construction or installation of ground water monitoring wells, pipes, conduits, septic system, or any other excavation will be done on the property without approval of the Indiana Department of Environmental Management (IDEM) commissioner.

ADDITIONAL GEOLOGY RECOMMENDATIONS:

The existing residential well needs to be abandoned (312 IAC 13-10-2). We recommend that you grout the well first, then over drill the entire well depth with hollow stem augers. Once total depth is reached, you should fill the augers with grout as you pull the augers out. This procedure will ensure the well's borehole is properly sealed. The Humane Society should submit the existing well log and the abandonment log to the Indiana Department of Natural Resources and IDEM within 60 days after abandonment. Please notify IDEM two weeks before abandonment.

IDEM will contact the Humane Society for permission to sample their new well on the nonwaste parcel.

Within thirty (30) days of receipt of this letter, a written detailed explanation, documenting how you plan to comply with each of the requirements listed above, must be submitted to this office. Failure to respond adequately to this Violation Letter may result in a referral to IDEM's Land Enforcement Section. Please direct any questions with regards to inspection to Said Asgari at (317) 409-4929, and any questions with regards to Engineering to Ms. Daniela Klesmith at (317) 232-8840, and Geology to Mr. John Guerrettaz (317) 232-8713. Thank you for your attention to this matter.

Sincerely,

Kelphotall

Kelly B. Hall, Section Chief Solid Waste Compliance Section Office of Land Quality

Enclosures: Inspection report dated March 30, 2015 Rule 329 IAC 10-6 Pictures Deed Notice Guidance Protocol for On-site Sewage Abandonment

cc: Bartholomew County Health Department Bartholomew County Solid Waste Management District Mark Niemoeller

.

·

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT



We Protect Hoosiers and Our Environment.

100 N. Senate Avenue · Indianapolis, IN 46204

(800) 451-6027 • (317) 232-8603 • www.idem.IN.gov

Michael R. Pence Governor

Carol S. Comer Commissioner

September 11, 2015

VIA CERTIFIED MAIL #:

91-7190-0005-2710-0044-1171 Honorable Kristen Brown, Mayor City of Columbus 123 Washington Street Columbus, IN 47201

VIA CERTIFIED MAIL

91-7190-0005-2710-0044-1195 Bartholomew County Humane Society C/O Board of Directors, Attn: Kim Showalter 4110 East 200 South PO Box 1088 Columbus, Indiana 47202-1088

VIA CERTIFIED MAIL

91-7190-0005-2710-0044-1201 **Bartholomew County Commissioners** 440 Third Street Columbus, IN 47201

Re:

Inspection Summary/Violation Letter Bartholomew County Humane Society/ Pettit Landfill, SW 03-UP-09 **Bartholomew County**

Dear Ladies and Gentlemen:

On March 30, 2015, representatives of the Indiana Department of Environmental Management, Office of Land Quality, conducted an inspection of Bartholomew County Humane Society/Pettit Landfill, Columbus, Indiana. This inspection was conducted pursuant to IC 13-14-2-2. For your information, and in accordance with IC 13-14-5, a summary of the inspection is provided below:

Type of Inspection:

- Routine Complaint
- Other

Results of Inspection:

No violations were observed

- Violations were observed but corrected during the Inspection (See inspection report)
- X Violations were observed (See inspection report dated March 30, 2015)
- Additional information/review is required to evaluate overall compliance
- Violations were observed and will be referred to the Land Enforcement Section
- Other



The Pettit Landfill was closed in 1977. It consists of two cells: Cell 1 to the south and Cell 2 to the north, with a facility number 03-UP-09. Bartholomew County Humane Society is located on the cap of the Pettit Landfill, Cell 1.

The March 30, 2015 inspection revealed violations of the 1971 guidance "Minimum Requirements for the Selection and Operation of a Sanitary Landfill" (included) and 329 IAC 329 10-6.

According to the 1971 Minimum Requirements, "Finished cover shall have a slope not less than one percent nor more than 15 percent without depressions that will cause ponding." According to the 329 IAC 10-6, the owner, operator, or permittee of a closed solid waste land disposal facility:

- (1) must continue to monitor and provide maintenance (329 IAC 10-6-2(a)),
- (2) is responsible for controlling nuisance conditions (329 IAC 10-6-2(b)),
- (3) and is responsible for eliminating any threat to human health or the environment (329 IAC 10-6-3).

Engineering recommends the following remediation items for the parcel owned by Bartholomew County Humane Society:

- 1. Clean up and removed septic system.
- 2. Repair sunken pat graves. No further animal burials should be conducted on top of the landfill.
- **3**. Grade landfill cover to prevent ponding water.
- 4. All old structures should be removed. If the Humane society is planning on using any existing building located on top of the old landfill, a post-closure use approval from this office is required for any future use of these buildings. All enclosed structures must have explosives gas alarms and must have proper gas venting system.
- 5. Repair leachate seeps/erosion along southern property boundary.
- 6. Clean drainage dich along north eastern landfill boundary to provide for better surface drainage and prevent ponding water against fill areas.

Provide a copy of the notation on the deed to the landfill property to notify any potential purchaser of the property that the land has been used as a waste disposal site. At a minimum, the recording must contain the following: Provide a copy of the notation on the deed to the landfill property to notify any potential purchaser of the property that the land has been used as a waste disposal site. At a minimum, the recording must contain the recording must contain the recording must contain the following:

- (1) General types and location of waste.
- (2) Depth of fill.
- (3) A plot plan with surface contours at intervals of 2 feet that shows:
 - a. Surface water run-off directions,
 - b. Surface water diversions structures after completion of the operation, and
 - c. Final grade contours.
- (4) A statement that no construction or installation of ground water monitoring wells, pipes, conduits, septic system, or any other excavation will be done on the property without approval of the Indiana Department of Environmental Management (IDEM) commissioner.

ADDITIONAL GEOLOGY RECOMMENDATIONS:

The existing residential well needs to be abandoned (312 IAC 13-10-2). We recommend that you grout the well first, then over drill the entire well depth with hollow stem augers. Once total depth is reached, you should fill the augers with grout as you pull the augers out. This procedure will ensure the well's borehole is properly sealed. The Humane Society should submit the existing well log and the abandonment log to the Indiana Department of Natural Resources and IDEM within 60 days after abandonment. Please notify IDEM two weeks before abandonment.

IDEM will contact the Humane Society for permission to sample their new well on the nonwaste parcel.

Within thirty (30) days of receipt of this letter, a written detailed explanation, documenting how you plan to comply with each of the requirements listed above, must be submitted to this office. Failure to respond adequately to this Violation Letter may result in a referral to IDEM's Land Enforcement Section. Please direct any questions with regards to inspection to Said Asgari at (317) 409-4929, and any questions with regards to Engineering to Ms. Daniela Klesmith at (317) 232-8840, and Geology to Mr. John Guerrettaz (317) 232-8713. Thank you for your attention to this matter.

Sincerely,

Leeght fall

Kelly B. Hall, Section Chief Solid Waste Compliance Section Office of Land Quality

Enclosures: Inspection report dated March 30, 2015 Rule 329 IAC 10-6 Pictures Deed Notice Guidance Protocol for On-site Sewage Abandonment

cc: Bartholomew County Health Department Bartholomew County Solid Waste Management District Mark Niemoeller

EMANUEL, DONNA

From:	DoNotReply@pb.com
Sent:	Monday, September 14, 2015 11:49 PM
То:	EMANUEL, DONNA
Subject:	Package Delivery Notification: Carrier = POST, TrackingNr = 9171900005271000441195

This delivery notification is to alert you that a package was delivered to:

Bartholomew Co Humane Society Attn: c/o Board of Directors/Kim Showalte 4110 E 200 S PO Box 1088 Columbus , IN 472019095 US

The package was delivered on 9/14/2015 9:29:00 AM

Package Detail:

TrackingNr: 9171900005271000441195 Service: 2PM Weight: 0.174 Pieces: 1 BillNr: Z900000692329

Your package can be tracked from URL: https://tools.usps.com/go/TrackConfirmAction_input?origTrackNum=9171900005271000441195

English Customer Ser	rvice USPS Mobile		Register / Sign In	
		USPS.COM [®]		
JSPS Tracking [®]			Customer Service > Have questions? We're here to help.	
			Get Easy Tracking Updates > Sign up for My USPS.	
racking Number: 91719000	05271000441195			
xpected Delivery Day: Mor			Available Astispe	
oduct & Tracking	g information		Available Actions	
tal Product: -Class Mail [®]	Features: Certified Mail [™]		Return Receipt Electronic	
DATE & TIME	STATUS OF ITEM	LOCATION	Text Updates	
September 14, 2015 , 9:29 am	Delivered	COLUMBUS, IN 47201	Email Updates	
Your item was delivered at 9:29	am on September 14, 2015 in COLU	MBUS, IN 47201.		
September 14, 2015 , 8:53 am	Available for Pickup	COLUMBUS, IN 47202		
September 11, 2015 , 11:25 pm	Arrived at USPS Facility	INDIANAPOLIS, IN 46206		
September 11, 2015 , 10:10 pm	Accepted at USPS Origin Sort Facility	INDIANAPOLIS, IN 46204		
September 11, 2015	Pre-Shipment Info Sent to USPS]	
rack Another Pa	ickage		Manage Incoming Packages	
acking (or receipt) number			Track all your packages from a dashboard. No tracking numbers necessary.	

HELPFUL LINKS Contact Us Site Index FAQs ON ABOUT.USPS.COM About USPS Home Newsroom USPS Service Updates Forms & Publications Government Services Careers OTHER USPS SITES Business Customer Gateway Postal Inspectors Inspector General Postal Explorer National Postal Museum Resources for Developers LEGAL INFORMATION Privacy Policy Terms of Use FOIA No FEAR Act EEO Data Copyright © 2015 USPS. All Rights Reserved.

Search or Enter a Tracking Number



Date: September 15, 2015

Donna Emanuel:

The following is in response to your September 15, 2015 request for delivery information on your Certified Mail[™] item number 9171900005271000441195. The delivery record shows that this item was delivered on September 14, 2015 at 9:29 am in COLUMBUS, IN 47201. The scanned image of the recipient information is provided below.

Signature of Recipient :

Wey Juchully

Address of Recipient :

(P.O. 139, 1085)

Thank you for selecting the Postal Service for your mailing needs.

If you require additional assistance, please contact your local Post Office or postal representative.

Sincerely, United States Postal Service

EMANUEL, DONNA

From:	DoNotReply@pb.com
Sent:	Monday, September 14, 2015 11:49 PM
То:	EMANUEL, DONNA
Subject:	Package Delivery Notification: Carrier = POST, TrackingNr = 9171900005271000441171

**** This is an EXTERNAL email. Exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email. ****

This delivery notification is to alert you that a package was delivered to:

Honorable Kristen Brown, Mayor Attn: City of Columbus 123 Washington St

Columbus , IN 472016774 US

The package was delivered on 9/14/2015 11:03:00 AM

Package Detail:

TrackingNr: 9171900005271000441171 Service: 2PM Weight: 0.156 Pieces: 1 BillNr: Z90000692315

Your package can be tracked from URL: https://tools.usps.com/go/TrackConfirmAction_input?origTrackNum=9171900005271000441171

		USPS.COM [®]	
ISPS Tracking	®		Customer Service > Have questions? We're here to help.
			Get Easy Tracking Updates > Sign up for My USPS.
Fracking Number: 91719000	05271000441171		
roduct & Tracking	g Information		Available Actions
stal Product: st-Class Mail [®]	Features: Certified Mail [™]		Return Receipt Electronic
DATE & TIME	STATUS OF ITEM	LOCATION	Text Updates
September 14, 2015 , 11:03 am	Delivered	COLUMBUS, IN 47201	Email Updates
Your item was delivered at 11:03	am on September 14, 2015 in COL	UMBUS, IN 47201.	
September 11, 2015	Pre-Shipment Info Sent to USPS		
Track Another Pa	ckage		Manage Incoming Packages
racking (or receipt) number		Track #	Track all your packages from a dashboard. No tracking numbers necessary.
		Track It	Sign up for My USPS >
ELPFUL LINKS	ON ABOUT.USPS.COM	OTHER USPS SITES	LEGAL INFORMATION
ontact Us e Index	About USPS Home Newsroom	Business Customer Gateway Postal Inspectors	Privacy Policy Terms of Use
AQs	USPS Service Updates	Inspector General	FOIA
	Forms & Publications Government Services	Postal Explorer National Postal Museum	No FEAR Act EEO Data
	Careers	Resources for Developers	
ppyright © 2015 USPS. All Rights Rese	erved.		
			Search or Enter a Tracking Number



Date: September 15, 2015

Donna Emanuel:

The following is in response to your September 15, 2015 request for delivery information on your Certified Mail[™] item number 9171900005271000441171. The delivery record shows that this item was delivered on September 14, 2015 at 11:03 am in COLUMBUS, IN 47201. The scanned image of the recipient information is provided below.

Signature of Recipient :

Address of Recipient :

123 Wash + 3

Thank you for selecting the Postal Service for your mailing needs.

If you require additional assistance, please contact your local Post Office or postal representative.

Sincerely, United States Postal Service

EMANUEL, DONNA

From:	DoNotReply@pb.com
Sent:	Tuesday, September 15, 2015 11:46 PM
То:	EMANUEL, DONNA
Subject:	Package Delivery Notification: Carrier = POST, TrackingNr = 9171900005271000441201

This delivery notification is to alert you that a package was delivered to:

Bartholomew County Commissioners Attn: 440 3rd St

Columbus , IN 472016798 US

The package was delivered on 9/15/2015 10:20:00 AM

Package Detail:

TrackingNr: 9171900005271000441201 Service: 2PM Weight: 0.143 Pieces: 1 BillNr: Z900000692333

Your package can be tracked from URL: https://tools.usps.com/go/TrackConfirmAction_input?origTrackNum=9171900005271000441201

English Customer Serv	vice USPS Mobile		Register / Sign In
		USPS.COM	
JSPS Tracking	®		Customer Service > Have questions? We're here to help.
			Get Easy Tracking Updates > Sign up for My USPS.
Tracking Number: 91719000	05271000441201		
Product & Tracking	Information		Available Actions
ostal Product: rst-Class Mail [®]	Features: Certified Mail [™]		Return Receipt Electronic
DATE & TIME	STATUS OF ITEM	LOCATION	Text Updates
September 15, 2015 , 10:20 am	Delivered	COLUMBUS, IN 47201	Email Updates
Your item was delivered at 10:20	am on September 15, 2015 in COL	UMBUS, IN 47201.	
September 11, 2015	Pre-Shipment Info Sent to USPS		
Track Another Pa	ckage		Manage Incoming Packages
Tracking (or receipt) number		Track It	Track all your packages from a dashboard. No tracking numbers necessary. Sign up for My USPS >
ELPFUL LINKS ontact Us ite Index AQs	ON ABOUT. USPS.COM About USPS Home Newsroom USPS Service Updates Forms & Publications Government Services Careers	OTHER USPS SITES Business Customer Gateway Postal Inspectors Inspector General Postal Explorer National Postal Museum Resources for Developers	LEGAL INFORMATION Privacy Policy Terms of Use FOIA No FEAR Act EEO Data
opyright © 2015 USPS. All Rights Rese	erved.		
			Search or Enter a Tracking Number



Date: September 16, 2015

Donna Emanuel:

The following is in response to your September 16, 2015 request for delivery information on your Certified Mail[™] item number 9171900005271000441201. The delivery record shows that this item was delivered on September 15, 2015 at 10:20 am in COLUMBUS, IN 47201. The scanned image of the recipient information is provided below.

Signature of Recipient :

Ybbi Indere

Address of Recipient :

4423rd St 101

Thank you for selecting the Postal Service for your mailing needs.

If you require additional assistance, please contact your local Post Office or postal representative.

Sincerely, United States Postal Service